

TYRES

Product group	Tyres
Item number	10926530
Valid tyre size	380 / 90 R 46
LI / SI / PR	149 A8 / 149 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85 Row Crop



Bohnenkamp
■ ■ ● Moving Professionals

Mitas

Notes and features

- The Mitas AC 85 Row Crop is a row crop tyre.
- Its optimum lug height ensures very good traction and tracking as well as good self-cleaning properties.
- Thanks to the narrow tyre width, rounded lugs and tyre shoulders, crops and soil are optimally protected.

Technical Informations

Item number	10926530
EAN	8059971056983
Valid tyre size	380 / 90 R 46
Alternative size 1	14.9R46
LI / SI / PR	149 A8 / 149 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85 Row Crop
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	123,90
Recommended rim size	W12
Permitted rim size	W13, 11
Maximum air pressure [bar].	2,40
Section width (mm)	392
Outer diameter of tyre [mm].	1844
Stat. radius (SLR) [mm]	846
Rolling circumference [mm].	5542
Tread depth (mm)	43,0
Number of lugs	27x2
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
149 A8	3250	40		2,40	
149 B	3250	50		2,40	