

TYRES

Product group	Tyres
Item number	10927515
Valid tyre size	240 / 70 R 16
LI / SI / PR	104 A8 / 104 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 70 T



Bohnenkamp
■ ■ ● Moving Professionals

Mitas

Notes and features

- The AC 70 T is a tractor tyre for heavy field work.
- Its high lugs provide excellent traction.
- Reduced slip thanks to its outstanding self-cleaning properties.
- The tyre is characterised by its versatility and can also be used in vineyards and orchards, for example.

Technical Informations

Item number	10927515
EAN	8059971035735
Valid tyre size	240 / 70 R 16
LI / SI / PR	104 A8 / 104 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 70 T
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	18,80
Recommended rim size	8
Permitted rim size	7, 9
Maximum air pressure [bar].	2,40
Section width (mm)	244
Outer diameter of tyre [mm].	737
Stat. radius (SLR) [mm]	331
Speed Radius Index (SRI)	350
Rolling circumference [mm].	2192
Tread depth (mm)	27,0
Number of lugs	16x2
Lug width (mm)	38
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
104 A8	900	40		2,40	
104 B	900	50		2,40	