

TYRES

Product group	Tyres
Item number	10927570
Valid tyre size	280 / 70 R 20
LI / SI / PR	116 A8 / 116 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 70 T



Bohnenkamp
■ ■ ● Moving Professionals

Mitas

Notes and features

- The AC 70 T is a tractor tyre for heavy field work.
- Its high lugs provide excellent traction.
- Reduced slip thanks to its outstanding self-cleaning properties.
- The tyre is characterised by its versatility and can also be used in vineyards and orchards, for example.

Technical Informations

Item number	10927570
EAN	8059971040128
Valid tyre size	280 / 70 R 20
LI / SI / PR	116 A8 / 116 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 70 T
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	31,40
Recommended rim size	9
Permitted rim size	8, 10
Maximum air pressure [bar].	2,40
Section width (mm)	276
Outer diameter of tyre [mm].	906
Stat. radius (SLR) [mm]	411
Speed Radius Index (SRI)	425
Rolling circumference [mm].	2725
Tread depth (mm)	33,0
Number of lugs	17x2
Lug width (mm)	37
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
116 A8	1250	40		2,40	
116 B	1250	50		2,40	