

## TYRES

Product group	Tyres
Item number	10927625
Valid tyre size	280 / 85 R 24
LI / SI / PR	115 A8 / 115 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85



Bohnenkamp  
■ ■ ● Moving Professionals

**Mitas**

## Notes and features

- The AC 85 is a modern, all-round standard tyre for a wide work spectrum in the field and on the road.
- Its tread pattern provides excellent traction.
- Thanks to its enlarged contact area, the tyre is also suitable for work on grassland.
- The wear-resistant tread compound ensures a long service life.

**Technical Informations**

<b>Item number</b>	10927625
<b>EAN</b>	8059971057867
<b>Valid tyre size</b>	280 / 85 R 24
<b>Alternative size 1</b>	11.2R24
<b>LI / SI / PR</b>	115 A8 / 115 B
<b>TL/TT</b>	TL
<b>Brand</b>	Mitas
<b>Tread pattern</b>	AC 85
<b>Antistatic</b>	No
<b>Tyre colour</b>	Black
<b>ECE regulation number</b>	not necessary
<b>Nettogewicht [kg] (gültig)</b>	45,20
<b>Recommended rim size</b>	10
<b>Permitted rim size</b>	9
<b>Maximum air pressure [bar].</b>	1,60
<b>Section width (mm)</b>	296
<b>Outer diameter of tyre [mm].</b>	1090
<b>Stat. radius (SLR) [mm]</b>	497
<b>Speed Radius Index (SRI)</b>	525
<b>Rolling circumference [mm].</b>	3267
<b>Tread depth (mm)</b>	38,0
<b>Number of lugs</b>	19x2
<b>Lug width (mm)</b>	32
<b>E-Ready</b>	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
115 A8	1215	40		1,60	
115 B	1215	50		1,60	