

TYRES

Product group	Tyres
Item number	10927700
Valid tyre size	420 / 70 R 24
LI / SI / PR	133 A8 / 130 D
TL/TT	TL
Brand	Mitas
Tread pattern	HC 70



Mitas

Notes and features

- The HC 70 is an all-round wide-base tyre with increased loading capacity.
- Its tread pattern provides excellent traction.
- Due to rounded lug edges and a round shoulder design, the soil is effectively protected, particularly during work on grassland.
- The wide tyre shoulder guarantees excellent ride comfort on the road.
- Economical operational costs thanks to minimised slip.



Technical Informations

Item number	10927700
EAN	8059971059120
Valid tyre size	420 / 70 R 24
LI / SI / PR	133 A8 / 130 D
TL/TT	TL
Brand	Mitas
Tread pattern	HC 70
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	78,90
Recommended rim size	13
Permitted rim size	12, 14
Maximum air pressure [bar].	1,60
Section width (mm)	443
Outer diameter of tyre [mm].	1245
Stat. radius (SLR) [mm]	552
Speed Radius Index (SRI)	600
Rolling circumference [mm].	3695
Tread depth (mm)	44,0
Number of lugs	18x2
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
133 A8	2060	40		1,60	
130 D	1900	65		1,60	