

TYRES

Product group	Tyres	
Item number	10927705	
Valid tyre size	445 / 70 R 24	
LI / SI / PR	151 G	
TL/TT	TL	
Brand	Mitas	
Tread pattern	AC 70 G MPT	



Mitas

Notes and features

- The AC 70 G MPT is a multi-purpose tyre for grasslands, fields and roads.
- The big, wide lugs provide excellent soil protection.
- Its wide contact area ensures high ride comfort on the road.
- The wear-resistant rubber compound ensures a long service life.
- Due to the special casing and steel belt inserts, the tyre is suitable for high speeds up to 90 km/h.



Technical Informations

Item number	10927705
EAN	8059971040678
Valid tyre size	445 / 70 R 24
LI / SI / PR	151 G
TL/TT	TL
Brand	Mitas
Tread pattern	AC 70 G MPT
Carcass properties	High Speed
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	87,50
Recommended rim size	13
Permitted rim size	12, 14
Maximum air pressure [bar].	3,50
Section width (mm)	425
Outer diameter of tyre [mm].	1248
Stat. radius (SLR) [mm]	561
Rolling circumference [mm].	3708
Tread depth (mm)	35,0
Number of lugs	16x2
Lug width (mm)	37
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

ı	ndex	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
1	.51 G	3450	90		3,50	