

TYRES

Product group	Tyres	
Item number	10927746	
Valid tyre size	500 / 70 R 24	
LI / SI / PR	155 A8 / 167 A8	
TL/TT	TL	
Brand	Mitas	
Tread pattern	AC 70 G	



Mitas

Notes and features

- The AC 70 G is a grassland wide-base tyre with optimal road characteristics.
- The big, wide lugs provide excellent soil protection.
- Its wide contact area ensures high ride comfort on the road
- The wear-resistant rubber compound ensures a long service life.



Technical Informations

Item number	10927746
EAN	8059971068306
Valid tyre size	500 / 70 R 24
LI / SI / PR	155 A8 / 167 A8
TL/TT	TL
Brand	Mitas
Tread pattern	AC 70 G
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	107,20
Recommended rim size	DW16L
Permitted rim size	W16L, DW15L, W15L
Maximum air pressure [bar].	2,80
Section width (mm)	496
Outer diameter of tyre [mm].	1313
Stat. radius (SLR) [mm]	573
Rolling circumference [mm].	3908
Tread depth (mm)	38,0
Number of lugs	20x2
Tyre capacity 75% [ltr.]	325
E-Ready	No



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
155 A8	3875	40	Drive Wheel	2,80	
167 A8	5000	40	Free Rolling	2,80	