

TYRES

Product group	Tyres
Item number	10927785
Valid tyre size	340 / 85 R 28
LI / SI / PR	127 A8 / 127 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85



Bohnenkamp
■ ■ ● Moving Professionals

Mitas

Notes and features

- The AC 85 is a modern, all-round standard tyre for a wide work spectrum in the field and on the road.
- Its tread pattern provides excellent traction.
- Thanks to its enlarged contact area, the tyre is also suitable for work on grassland.
- The wear-resistant tread compound ensures a long service life.

Technical Informations

Item number	10927785
EAN	8059971062762
Valid tyre size	340 / 85 R 28
LI / SI / PR	127 A8 / 127 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	66,10
Recommended rim size	12
Permitted rim size	11
Maximum air pressure [bar].	1,60
Section width (mm)	367
Outer diameter of tyre [mm].	1299
Stat. radius (SLR) [mm]	587
Speed Radius Index (SRI)	625
Rolling circumference [mm].	3885
Tread depth (mm)	41,0
Number of lugs	20x2
Lug width (mm)	36
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
127 A8	1750	40		1,60	
127 B	1750	50		1,60	