

## TYRES

Product group	Tyres
Item number	10927845
Valid tyre size	600 / 65 R 28
LI / SI / PR	150 A8 / 147 D
TL/TT	TL
Brand	Mitas
Tread pattern	AC 65



**Mitas**

## Notes and features

- The AC 65 is a powerful all-round wide tyre for use in the field and on the road.
- Thanks to its wide contact area, the soil is protected effectively.
- The wear-resistant rubber compound ensures a long service life.
- The tyre is characterised by a large air volume, guaranteeing a high transport performance.

## Technical Informations

Item number	10927845
EAN	8059971054781
Valid tyre size	600 / 65 R 28
LI / SI / PR	150 A8 / 147 D
TL/TT	TL
Brand	Mitas
Tread pattern	AC 65
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	136,20
Recommended rim size	18
Permitted rim size	16
Maximum air pressure [bar].	1,60
Section width (mm)	590
Outer diameter of tyre [mm].	1485
Stat. radius (SLR) [mm]	661
Speed Radius Index (SRI)	700
Rolling circumference [mm].	4411
Tread depth (mm)	51,0
Number of lugs	19x2
Lug width (mm)	44
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
150 A8	3350	40		1,60	
147 D	3075	65		1,60	