

TYRES

Product group	Tyres
Item number	10927890
Valid tyre size	480 / 70 R 30
LI / SI / PR	141 A8 / 141 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 70 T



Mitas

Notes and features

- The AC 70 T is a tractor tyre for heavy field work.
- Its high lugs provide excellent traction.
- Reduced slip thanks to its outstanding self-cleaning properties.
- The tyre is characterised by its versatility and can also be used in vineyards and orchards, for example.

Technical Informations

Item number	10927890
EAN	8059971054699
Valid tyre size	480 / 70 R 30
LI / SI / PR	141 A8 / 141 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 70 T
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	108,40
Recommended rim size	15
Permitted rim size	14, 16
Maximum air pressure [bar].	1,60
Section width (mm)	496
Outer diameter of tyre [mm].	1477
Stat. radius (SLR) [mm]	667
Speed Radius Index (SRI)	700
Rolling circumference [mm].	4435
Tread depth (mm)	52,0
Number of lugs	19x2
Lug width (mm)	38
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
141 A8	2575	40		1,60	
141 B	2575	50		1,60	