

TYRES

Product group	Tyres
Item number	10927970
Valid tyre size	800 / 65 R 32
LI / SI / PR	172 A8 / 169 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 70 H



Mitas

Notes and features

- The AC 70 H is a tyre for harvesters with high load capacity at low inflation pressure.
- The wide tyre provides uniform pressure distribution and thus effective soil protection.
- Its professional damping reduces vibrations on the road, resulting in improved ride comfort.

Technical Informations

Item number	10927970
EAN	8059971034943
Valid tyre size	800 / 65 R 32
LI / SI / PR	172 A8 / 169 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 70 H
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	304,00
Recommended rim size	25
Permitted rim size	27
Maximum air pressure [bar].	2,40
Section width (mm)	795
Outer diameter of tyre [mm].	1820
Stat. radius (SLR) [mm]	830
Speed Radius Index (SRI)	875
Rolling circumference [mm].	5430
Tread depth (mm)	65,0
Number of lugs	20x2
Lug width (mm)	59
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
172 A8	6300	40		2,40	
169 B	5800	50		2,40	