

TYRES

Product group	Tyres
Item number	10927977
Valid tyre size	800 / 70 R 32 CHO
LI / SI / PR	175 A8 / 172 B
TL/TT	TL
Brand	Mitas
Tread pattern	SFT



Bohnenkamp
■ ■ ● Moving Professionals

Mitas

Notes and features

- The Mitas SFT CHO is a Cyclic Harvesting Operation tyre specially developed for harvesting machines.

Technical Informations

Item number	10927977
EAN	8059971066036
Valid tyre size	800 / 70 R 32 CHO
LI / SI / PR	175 A8 / 172 B
TL/TT	TL
Brand	Mitas
Tread pattern	SFT
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	378,30
Recommended rim size	DW25A
Permitted rim size	DW27A
Maximum air pressure [bar].	2,40
Section width (mm)	748
Outer diameter of tyre [mm].	1932
Stat. radius (SLR) [mm]	845
Rolling circumference [mm].	5630
Tread depth (mm)	55,0
Number of lugs	22x2
Tyre capacity 75% [ltr.]	1000
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
175 A8	6900	40		2,40	
172 B	6300	50		2,40	