

## **TYRES**

Product group	Tyres	
Item number	10927985	
Valid tyre size	380 / 85 R 34	
LI / SI / PR	146 A8 / 146 B	
TL/TT	TL	
Brand	Mitas	
Tread pattern	AC 85	



Mitas

## Notes and features

- The AC 85 is a modern, all-round standard tyre for a wide work spectrum in the field and on the road.
- Its tread pattern provides excellent traction.
- Thanks to its enlarged contact area, the tyre is also suitable for work on grassland.
- The wear-resistant tread compound ensures a long service life.



## **Technical Informations**

Item number	10927985
EAN	8059971036435
Valid tyre size	380 / 85 R 34
Alternative size 1	14.9R34
LI / SI / PR	146 A8 / 146 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 85
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	96,40
Recommended rim size	12
Permitted rim size	13, 11
Maximum air pressure [bar].	2,40
Section width (mm)	401
Outer diameter of tyre [mm].	1538
Stat. radius (SLR) [mm]	699
Speed Radius Index (SRI)	725
Rolling circumference [mm].	4577
Tread depth (mm)	43,0
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
146 A8	3000	40		2,40	
146 B	3000	50		2,40	