

TYRES

Product group	Tyres
Item number	10928015
Valid tyre size	480 / 70 R 34
LI / SI / PR	143 A8 / 143 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 70 T



Mitas

Notes and features

- The AC 70 T is a tractor tyre for heavy field work.
- Its high lugs provide excellent traction.
- Reduced slip thanks to its outstanding self-cleaning properties.
- The tyre is characterised by its versatility and can also be used in vineyards and orchards, for example.

Technical Informations

Item number	10928015
EAN	8059971039702
Valid tyre size	480 / 70 R 34
LI / SI / PR	143 A8 / 143 B
TL/TT	TL
Brand	Mitas
Tread pattern	AC 70 T
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	116,90
Recommended rim size	15
Permitted rim size	14, 16
Maximum air pressure [bar].	1,60
Section width (mm)	490
Outer diameter of tyre [mm].	1575
Stat. radius (SLR) [mm]	710
Speed Radius Index (SRI)	750
Rolling circumference [mm].	4686
Tread depth (mm)	55,0
Lug width (mm)	46
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
143 A8	2725	40		1,60	
143 B	2725	50		1,60	