

## TYRES

Product group	Tyres
Item number	10928048
Valid tyre size	600 / 65 R 34
LI / SI / PR	160 A8 / 157 D
TL/TT	TL
Brand	Mitas
Tread pattern	AC 65



**Mitas**

## Notes and features

- The AC 65 is a powerful all-round wide tyre for use in the field and on the road.
- Thanks to its wide contact area, the soil is protected effectively.
- The wear-resistant rubber compound ensures a long service life.
- The tyre is characterised by a large air volume, guaranteeing a high transport performance.

## Technical Informations

Item number	10928048
EAN	8059971054798
Valid tyre size	600 / 65 R 34
LI / SI / PR	160 A8 / 157 D
TL/TT	TL
Brand	Mitas
Tread pattern	AC 65
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	153,00
Recommended rim size	W18L
Permitted rim size	W16L, DW20B
Maximum air pressure [bar].	2,40
Section width (mm)	592
Outer diameter of tyre [mm].	1664
Stat. radius (SLR) [mm]	740
Rolling circumference [mm].	4915
Tread depth (mm)	51,0
Number of lugs	21x2
Tyre capacity 75% [ltr.]	465
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
160 A8	4500	40		2,40	
157 D	4125	60		2,40	