

TYRES

Product group	Tyres
Item number	10928092
Valid tyre size	680 / 80 R 38 CHO
LI / SI / PR	182 A8 / 179 D
TL/TT	TL
Brand	Mitas
Tread pattern	SFT



Bohnenkamp
■ ■ ● Moving Professionals

Mitas

Notes and features

- The Mitas SFT CHO is a Cyclic Harvesting Operation tyre specially developed for harvesting machines.

Technical Informations

Item number	10928092
EAN	8059971067781
Valid tyre size	680 / 80 R 38 CHO
LI / SI / PR	182 A8 / 179 D
TL/TT	TL
Brand	Mitas
Tread pattern	SFT
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	320,80
Recommended rim size	DW21B
Permitted rim size	DW20B, DW23B
Maximum air pressure [bar].	3,20
Section width (mm)	650
Outer diameter of tyre [mm].	2050
Stat. radius (SLR) [mm]	895
Rolling circumference [mm].	6070
Tread depth (mm)	60,0
Number of lugs	21x2
Tyre capacity 75% [ltr.]	1150
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
182 A8	8500	40		3,20	
179 D	7750	65		3,20	