

## TYRES

|                 |                   |
|-----------------|-------------------|
| Product group   | Tyres             |
| Item number     | 10928092          |
| Valid tyre size | 680 / 80 R 38 CHO |
| LI / SI / PR    | 182 A8 / 179 D    |
| TL/TT           | TL                |
| Brand           | Mitas             |
| Tread pattern   | SFT               |



Bohnenkamp  
■ ■ ● Moving Professionals

**Mitas**

## Notes and features

- The Mitas SFT CHO is a Cyclic Harvesting Operation tyre specially developed for harvesting machines.

## Technical Informations

|                              |                   |
|------------------------------|-------------------|
| Item number                  | 10928092          |
| EAN                          | 8059971067781     |
| Valid tyre size              | 680 / 80 R 38 CHO |
| LI / SI / PR                 | 182 A8 / 179 D    |
| TL/TT                        | TL                |
| Brand                        | Mitas             |
| Tread pattern                | SFT               |
| Antistatic                   | No                |
| Tyre colour                  | Black             |
| ECE regulation number        | not necessary     |
| Nettogewicht [kg] (gültig)   | 320,80            |
| Recommended rim size         | DW21B             |
| Permitted rim size           | DW20B, DW23B      |
| Maximum air pressure [bar].  | 3,20              |
| Section width (mm)           | 650               |
| Outer diameter of tyre [mm]. | 2050              |
| Stat. radius (SLR) [mm]      | 895               |
| Rolling circumference [mm].  | 6070              |
| Tread depth (mm)             | 60,0              |
| Number of lugs               | 21x2              |
| Tyre capacity 75% [ltr.]     | 1150              |
| E-Ready                      | No                |

## Load capacity

| Index  | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|--------|--------------------|--------------|---------------|--------------------------|--------------|
| 182 A8 | 8500               | 40           |               | 3,20                     |              |
| 179 D  | 7750               | 65           |               | 3,20                     |              |