

TYRES

Product group	Tyres
Item number	10928155
Valid tyre size	710 / 70 R 38
LI / SI / PR	169 A8 / 166 D
TL/TT	TL
Brand	Mitas
Tread pattern	AC 65



Mitas

Notes and features

- The AC 65 is a powerful all-round wide tyre for use in the field and on the road.
- Thanks to its wide contact area, the soil is protected effectively.
- The wear-resistant rubber compound ensures a long service life.
- The tyre is characterised by a large air volume, guaranteeing a high transport performance.

Technical Informations

Item number	10928155
EAN	8059971063837
Valid tyre size	710 / 70 R 38
LI / SI / PR	169 A8 / 166 D
TL/TT	TL
Brand	Mitas
Tread pattern	AC 65
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	261,40
Recommended rim size	23
Permitted rim size	25
Maximum air pressure [bar].	1,60
Section width (mm)	708
Outer diameter of tyre [mm].	1925
Stat. radius (SLR) [mm]	857
Speed Radius Index (SRI)	925
Rolling circumference [mm].	5716
Tread depth (mm)	58,0
Number of lugs	20x2
Lug width (mm)	53
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
169 A8	5800	40		1,60	
166 D	5300	65		1,60	