

TYRES

Product group	Tyres
Item number	10966105
Valid tyre size	8.5 R 17.5
LI / SI / PR	121 / 120 L
TL/TT	TL
Brand	Semperit
Tread pattern	Runner D2



Bohnenkamp
■ ■ ● Moving Professionals

SEMPERIT 
Seit 1906.

Notes and features

- The Semperit Runner D2 is a truck drive wheel tyre for local and long-distance transport.
- Its special tread pattern design provides optimum handling in all weather conditions.
- The durable rubber compound and the special, sturdy bead design guarantee high mileage.

Technical Informations

Item number	10966105
EAN	4024067000915
Valid tyre size	8.5 R 17.5
LI / SI / PR	121 / 120 L
TL/TT	TL
Brand	Semperit
Tread pattern	Runner D2
M+S	M+S
3PMSF	3PMSF
Axle position truck	RA
Rolling resistance	E
Wet grip	C
Rolling noise [db].	74
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	25,74
Recommended rim size	6.00
Permitted rim size	5.25, 6,75
Maximum air pressure [bar].	6,50
Section width (mm)	216
Outer diameter of tyre [mm].	817
Stat. radius (SLR) [mm]	375
Rolling circumference [mm].	2449
Tread depth (mm)	15,3

E-Ready

No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
121 L	1450	120	Single	6,50	
120 L	1400	120	Twin	6,50	