

TYRES

Product group	Tyres
Item number	10966130
Valid tyre size	215 / 75 R 17.5
LI / SI / PR	126 / 124 M
TL/TT	TL
Brand	Semperit
Tread pattern	Runner F2



Bohnenkamp
■ ■ ● Moving Professionals

SEMPERIT 
Seit 1906.

Notes and features

- The Semperit Runner F2 is a truck tyre for steering axles for regional and long-distance transport.
- Its tread pattern design with flexible sipes guarantees excellent handling, even on wet roads.
- The optimum contact area and the special rubber compound ensure slow wear and high mileage.

Technical Informations

Item number	10966130
EAN	4024067000885
Valid tyre size	215 / 75 R 17.5
LI / SI / PR	126 / 124 M
TL/TT	TL
Brand	Semperit
Tread pattern	Runner F2
M+S	M+S
3PMSF	3PMSF
Axle position truck	FA
Rolling resistance	D
Wet grip	C
Rolling noise [db].	71
Rolling noise level	A
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	25,05
Recommended rim size	6.00
Permitted rim size	6.75
Maximum air pressure [bar].	7,00
Section width (mm)	215
Outer diameter of tyre [mm].	779
Stat. radius (SLR) [mm]	359
Rolling circumference [mm].	2339
Tread depth (mm)	12,5

E-Ready	No
---------	----

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
126 M	1700	130	Single	7,00	
124 M	1600	130	Twin	7,00	