

## **TYRES**

Product group	Tyres	
Item number	10966150	
Valid tyre size	235 / 75 R 17.5	
LI / SI / PR	143 / 141 K (144 / 144 F)	
TL/TT	TL	
Brand	Semperit	
Tread pattern	Runner T2	





## Notes and features

- The Semperit Runner T2 is a truck trailer tyre for regional and long-haul transport.
- Its extra wide tread and cut-resistant rubber compound ensure slow wear and a long service life.
- During its entire service life, the tyre demonstrates very good grip on wet roads.



## **Technical Informations**

Item number	10966150
EAN	4024067749258
Valid tyre size	235 / 75 R 17.5
LI / SI / PR	143 / 141 K (144 / 144 F)
TL/TT	TL
Brand	Semperit
Tread pattern	Runner T2
M+S	M+S
Axle position truck	TR
Rolling resistance	С
Wet grip	С
Rolling noise [db].	69
Rolling noise level	A
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	32,41
Recommended rim size	6.75
Permitted rim size	7.50
Maximum air pressure [bar].	9,00
Section width (mm)	235
Outer diameter of tyre [mm].	811
Stat. radius (SLR) [mm]	372
Rolling circumference [mm].	2431
Tread depth (mm)	11,5
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
143 K	2725	110	Single	9,00	
144 F	2800	80	Single	9,00	
141 K	2575	110	Twin	9,00	
144 F	2800	80	Twin	9,00	