

TYRES

Product group	Tyres
Item number	10966250
Valid tyre size	445 / 45 R 19.5
LI / SI / PR	160 J
TL/TT	TL
Brand	Semperit
Tread pattern	Runner T2



Bohnenkamp
■ ■ ● Moving Professionals

SEMPERIT 
Seit 1906.

Notes and features

- The Semperit Runner T2 is a truck trailer tyre for regional and long-haul transport.
- Its extra wide tread and cut-resistant rubber compound ensure slow wear and a long service life.
- During its entire service life, the tyre demonstrates very good grip on wet roads.

Technical Informations

Item number	10966250
EAN	4024067749487
Valid tyre size	445 / 45 R 19.5
LI / SI / PR	160 J
TL/TT	TL
Brand	Semperit
Tread pattern	Runner T2
M+S	M+S
Axle position truck	TR
Rolling resistance	B
Wet grip	C
Rolling noise [db].	72
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	67,83
Recommended rim size	14.00
Permitted rim size	15.00
Maximum air pressure [bar].	9,00
Section width (mm)	445
Outer diameter of tyre [mm].	911
Stat. radius (SLR) [mm]	416
Rolling circumference [mm].	2712
Tread depth (mm)	12,4
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
160 J	4500	100	Single	9,00	