

## TYRES

Product group	Tyres
Item number	10966445
Valid tyre size	315 / 80 R 22.5
LI / SI / PR	156 / 150 L (154 / 150 M)
TL/TT	TL
Brand	Semperit
Tread pattern	Runner D2



Bohnenkamp  
■ ■ ● Moving Professionals

**SEMPERIT**   
Seit 1906.

## Notes and features

- The Semperit Runner D2 is a truck drive wheel tyre for local and long-distance transport.
- Its special tread pattern design provides optimum handling in all weather conditions.
- The durable rubber compound and the special, sturdy bead design guarantee high mileage.

## Technical Informations

Item number	10966445
EAN	4024067732540
Valid tyre size	315 / 80 R 22.5
LI / SI / PR	156 / 150 L (154 / 150 M)
TL/TT	TL
Brand	Semperit
Tread pattern	Runner D2
M+S	M+S
3PMSF	3PMSF
Axle position truck	RA
Rolling resistance	D
Wet grip	C
Rolling noise [db].	73
Rolling noise level	A
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	68,36
Recommended rim size	9.00
Permitted rim size	9.75
Maximum air pressure [bar].	9,00
Section width (mm)	315
Outer diameter of tyre [mm].	1096
Stat. radius (SLR) [mm]	500
Rolling circumference [mm].	3282
Tread depth (mm)	19,6

E-Ready

No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
156 L	4000	120	Single	9,00	
154 M	3750	130	Single	9,00	
150 L	3350	120	Twin	9,00	
150 M	3350	130	Twin	9,00	