

TYRES

| | |
|-----------------|-------------------|
| Product group | Tyres |
| Item number | 11065225 |
| Valid tyre size | 215 / 65 R 16 C |
| LI / SI / PR | 109 / 107 T, 8 PR |
| TL/TT | TL |
| Brand | Sailun |
| Tread pattern | Endure WSL1 |



Bohnenkamp
■ ■ ● Moving Professionals

 **SAILUN**
TYRE

Notes and features

- The Endure WSL1 by Sailun is a winter tyre for light trucks.
- Its tread design with zigzag main grooves and serrated grooves in the tyre shoulder reliably drain away snow and water.
- The tyre is characterised by excellent braking performance and very good grip on wet and snow-covered roads

Technical Informations

| | |
|------------------------------|-------------------|
| Item number | 11065225 |
| EAN | 6959655423211 |
| Valid tyre size | 215 / 65 R 16 C |
| LI / SI / PR | 109 / 107 T, 8 PR |
| TL/TT | TL |
| Brand | Sailun |
| Tread pattern | Endure WSL1 |
| M+S | M+S |
| 3PMSF | 3PMSF |
| Rolling resistance | C |
| Wet grip | B |
| Rolling noise [db]. | 72 |
| Rolling noise level | B |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | ECE 54,ECE 117 |
| Nettogewicht [kg] (gültig) | 13,18 |
| Recommended rim size | 6.50J |
| Maximum air pressure [bar]. | 4,75 |
| Section width (mm) | 215 |
| Outer diameter of tyre [mm]. | 686 |
| Stat. radius (SLR) [mm] | 307 |
| Rolling circumference [mm]. | 2092 |
| Tread depth (mm) | 10,0 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|-------|--------------------|--------------|---------------|--------------------------|--------------|
| 109 T | 1030 | 190 | Single | 4,75 | |
| 107 T | 975 | 190 | Twin | 4,75 | |