

## TYRES

Product group	Tyres
Item number	11066118
Valid tyre size	225 / 75 R 17.5
LI / SI / PR	129 / 127 M, 16 PR
TL/TT	TL
Brand	Sailun
Tread pattern	SDR1



Bohnenkamp  
■ ■ ● Moving Professionals

 **SAILUN**  
TYRE

## Notes and features

- The Sailun SDR1 is a truck tyre for drive axles for local and regional traffic.
- The widened tread grooves provide good self-cleaning and good grip in all weather conditions.
- A rib runs between the tread blocks for improved rigidity and resulting reduced wear.
- Its wide contact area guarantees very good driving stability with optimum grip.

## Technical Informations

Item number	11066118
EAN	6959655472714
Valid tyre size	225 / 75 R 17.5
LI / SI / PR	129 / 127 M, 16 PR
TL/TT	TL
Brand	Sailun
Tread pattern	SDR1
M+S	M+S
3PMSF	3PMSF
Axle position truck	RA
Rolling resistance	E
Wet grip	B
Rolling noise [db].	73
Rolling noise level	A
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	28,75
Recommended rim size	6.75
Permitted rim size	7.5
Maximum air pressure [bar].	7,25
Section width (mm)	225
Outer diameter of tyre [mm].	783
Stat. radius (SLR) [mm]	366.11
Rolling circumference [mm].	2388
Tread depth (mm)	15,0

E-Ready

No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
129 M	1850	130	Single	7,25	
127 M	1750	130	Twin	7,25	