

TYRES

Product group	Tyres
Item number	11066181
Valid tyre size	245 / 70 R 19.5
LI / SI / PR	136 / 134 M, 16 PR
TL/TT	TL
Brand	Sailun
Tread pattern	SDR1



Bohnenkamp
■ ■ ● Moving Professionals

 **SAILUN**
TYRE

Notes and features

- The Sailun SDR1 is a truck tyre for drive axles for local and regional traffic.
- The widened tread grooves provide good self-cleaning and good grip in all weather conditions.
- A rib runs between the tread blocks for improved rigidity and resulting reduced wear.
- Its wide contact area guarantees very good driving stability with optimum grip.

Technical Informations

Item number	11066181
EAN	6959655455137
Valid tyre size	245 / 70 R 19.5
LI / SI / PR	136 / 134 M, 16 PR
TL/TT	TL
Brand	Sailun
Tread pattern	SDR1
M+S	M+S
3PMSF	3PMSF
Axle position truck	RA
Rolling resistance	E
Wet grip	B
Rolling noise [db].	74
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	35,76
Recommended rim size	7.50
Permitted rim size	6.75
Maximum air pressure [bar].	8,25
Section width (mm)	248
Outer diameter of tyre [mm].	839
Stat. radius (SLR) [mm]	389.43
Rolling circumference [mm].	2455
Tread depth (mm)	15,5

E-Ready

No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
136 M	2240	130	Single	8,25	
134 M	2120	130	Twin	8,25	