# Bohnenkamp Moving Professionals

05.02.2025

### **TYRES**

Product group	Tyres	
Item number	11066193	
Valid tyre size	265 / 70 R 19.5	
LI / SI / PR	143 / 141 J, 18 PR	
TL/TT	TL	
Brand	Sailun	
Tread pattern	SDR1	





#### Notes and features

- The Sailun SDR1 is a truck tyre for drive axles for local and regional traffic.
- The widened tread grooves provide good self-cleaning and good grip in all weather conditions.
- A rib runs between the tread blocks for improved rigidity and resulting reduced wear.
- Its wide contact area guarantees very good driving stability with optimum grip.

# Bohnenkamp Moving Professionals

### **Technical Informations**

Item number	11066193
EAN	6959655455076
Valid tyre size	265 / 70 R 19.5
LI / SI / PR	143 / 141 J, 18 PR
TL/TT	TL
Brand	Sailun
Tread pattern	SDR1
M+S	M+S
3PMSF	3PMSF
Axle position truck	RA
Rolling resistance	E
Wet grip	В
Rolling noise [db].	74
Rolling noise level	В
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	40,65
Recommended rim size	7.50
Permitted rim size	8.25
Maximum air pressure [bar].	9,00
Section width (mm)	262
Outer diameter of tyre [mm].	867
Stat. radius (SLR) [mm]	401
Rolling circumference [mm].	2525
Tread depth (mm)	15,5

05.02.2025

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.

### Bohnenkamp Moving Professionals

05.02.2025

E-Ready

No

#### Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
143 J	2725	100	Single	9,00	
141 J	2575	100	Twin	9,00	

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.