

TYRES

Product group	Tyres	
Item number	11066290	
Valid tyre size	13 R 22.5	
LI / SI / PR	156 / 150 K, 18 PR	
TL/TT	TL	
Brand	Sailun	
Tread pattern	S711	





Notes and features

- The Sailun S711 is a symmetrical truck tyre for the rear axle for demanding on- and off-road use.
- Deep, zigzag-shaped grooves run from the tyre shoulder towards the centre of the tread and provide very good grip and self-cleaning properties.
- Small ribs between the tread pattern blocks reduce the movement of the blocks and thus prevent uneven wear.
- The tread pattern offers a particularly high tread pattern depth for a long service life.



Technical Informations

Item number	11066290
EAN	6959655406238
Valid tyre size	13 R 22.5
LI / SI / PR	156 / 150 K, 18 PR
TL/TT	TL
Brand	Sailun
Tread pattern	S711
M+S	M+S
3PMSF	3PMSF
Axle position truck	RA
Rolling resistance	D
Wet grip	С
Rolling noise [db].	76
Rolling noise level	В
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	76,31
Recommended rim size	9.75
Permitted rim size	9.00
Maximum air pressure [bar].	8,75
Section width (mm)	320
Outer diameter of tyre [mm].	1136
Stat. radius (SLR) [mm]	520.56
Rolling circumference [mm].	3272
Tread depth (mm)	20,0

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



E-Ready	No
---------	----

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
156 K	4000	110	Single	8,75	
150 K	3350	110	Twin	8,75	

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.