

TYRES

Product group	Tyres
Item number	11066313
Valid tyre size	275 / 70 R 22.5
LI / SI / PR	148 / 145 J (152 / 148 F), 16 PR
TL/TT	TL
Brand	Sailun
Tread pattern	CITYCONVOY



Bohnenkamp
■ ■ ● Moving Professionals

 **SAILUN**
TYRE

Notes and features

- The Sailun CITYCONVOY is an all-position truck tyre for regional and long-distance transport.
- The reinforced sidewall protects the tyre from damages caused by kerbs and from premature wear due to repeated starting and stopping in city traffic.
- The sipe design increases the contact area with the road for better grip and driving safety.
- The optimised tread pattern, the particularly hard-wearing rubber compound and high tread pattern depth guarantee a long service life.
- The shoulder notch prevents the tyre from heating up and increases durability.

Technical Informations

Item number	11066313
EAN	6959655483017
Valid tyre size	275 / 70 R 22.5
LI / SI / PR	148 / 145 J (152 / 148 F), 16 PR
TL/TT	TL
Brand	Sailun
Tread pattern	CITYCONVOY
M+S	M+S
3PMSF	3PMSF
Axle position truck	FA/RA/TR
Rolling resistance	D
Wet grip	C
Rolling noise [db].	72
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	52,53
Recommended rim size	8.25
Permitted rim size	7.50, 9.00
Maximum air pressure [bar].	9,00
Section width (mm)	275
Outer diameter of tyre [mm].	958
Stat. radius (SLR) [mm]	445.18
Rolling circumference [mm].	2922
Tread depth (mm)	20,5

E-Ready

No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
148 J	3150	100	Single	9,00	
152 F	3550	80	Single	9,00	
145 J	2900	100	Twin	9,00	
148 F	3150	80	Twin	9,00	