

TYRES

Product group	Tyres
Item number	11066316
Valid tyre size	295 / 60 R 22.5
LI / SI / PR	150 / 147 L, 18 PR
TL/TT	TL
Brand	Sailun
Tread pattern	S701



SAILUN
TYRE

Notes and features

- The Sailun S701 is a truck tyre for drive axles for long-haul transport.
- Three wide circumferential tread grooves and the large contact area ensure excellent driving stability and comfort.
- Narrow transverse grooves reduce noise emissions.

Technical Informations

Item number	11066316
EAN	6959655406337
Valid tyre size	295 / 60 R 22.5
LI / SI / PR	150 / 147 L, 18 PR
TL/TT	TL
Brand	Sailun
Tread pattern	S701
M+S	M+S
3PMSF	3PMSF
Axle position truck	RA
Rolling resistance	D
Wet grip	C
Rolling noise [db].	75
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	55,97
Recommended rim size	9.00
Permitted rim size	9.75
Maximum air pressure [bar].	9,00
Section width (mm)	295
Outer diameter of tyre [mm].	926
Rolling circumference [mm].	2806
Tread depth (mm)	17,0
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
150 L	3350	120	Single	9,00	
147 L	3075	120	Twin	9,00	