

TYRES

| | |
|-----------------|--------------------|
| Product group | Tyres |
| Item number | 11066322 |
| Valid tyre size | 295 / 80 R 22.5 |
| LI / SI / PR | 152 / 149 L, 18 PR |
| TL/TT | TL |
| Brand | Sailun |
| Tread pattern | SDW1 |



Notes and features

- The Sailun SDW1 is a truck winter tyre for drive axles with long-life rubber compound.
- The tread pattern with wide grooves and zigzag-shaped sipes reliably deflects water and snow.
- The arrangement of tread pattern blocks and grooves as well as the slip-resistant tread provide excellent handling in wintry conditions.
- The tyre offers very good traction, particularly on snow and ice.

Technical Informations

| | |
|------------------------------|--------------------|
| Item number | 11066322 |
| EAN | 6959655468953 |
| Valid tyre size | 295 / 80 R 22.5 |
| LI / SI / PR | 152 / 149 L, 18 PR |
| TL/TT | TL |
| Brand | Sailun |
| Tread pattern | SDW1 |
| M+S | M+S |
| 3PMSF | 3PMSF |
| Axle position truck | RA |
| Rolling resistance | D |
| Wet grip | C |
| Rolling noise [db]. | 73 |
| Rolling noise level | A |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | ECE 54,ECE 117 |
| Nettogewicht [kg] (gültig) | 66,76 |
| Recommended rim size | 9.00 |
| Permitted rim size | 8.25 |
| Maximum air pressure [bar]. | 9,00 |
| Section width (mm) | 295 |
| Outer diameter of tyre [mm]. | 1044 |
| Stat. radius (SLR) [mm] | 487 |
| Rolling circumference [mm]. | 3058 |
| Tread depth (mm) | 20,5 |

| | |
|---------|----|
| E-Ready | No |
|---------|----|

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|-------|--------------------|--------------|---------------|--------------------------|--------------|
| 152 L | 3550 | 120 | Single | 9,00 | |
| 149 L | 3250 | 120 | Twin | 9,00 | |