

TYRES

Product group	Tyres	
Item number	11066344	
Valid tyre size	315 / 70 R 22.5	
LI / SI / PR	154 / 150 L (152 / 148 M), 18 PR	
TL/TT	TL	
Brand	Sailun	
Tread pattern	SW06	





Notes and features

- The Sailun SW06 is a truck winter tyre for steering axles but is also suitable for trailers.
- The wide tread pattern and the tread pattern with 5 main grooves enable very good and safe handling on snow and ice.
- Jagged sipes increase the contact area with the road and enhance the grip.
- The sipe design and the shoulder grooves open on the sides reliably deflect water and snow.
- The special rubber compound keeps its positive characteristics even at low temperatures.



Technical Informations

Item number	11066344		
EAN	6959655419979		
Valid tyre size	315 / 70 R 22.5		
LI / SI / PR	154 / 150 L (152 / 148 M), 18 PR		
TL/TT	TL		
Brand	Sailun		
Tread pattern	SW06		
M+S	M+S		
3PMSF	3PMSF		
Axle position truck	FA		
Rolling resistance	E		
Wet grip	D		
Rolling noise [db].	74		
Antistatic	No		
Tyre colour	Black		
ECE regulation number	ECE 54,ECE 117		
Nettogewicht [kg] (gültig)	62,45		
Recommended rim size	9.00		
Permitted rim size	9.75		
Maximum air pressure [bar].	9,00		
Section width (mm)	312		
Outer diameter of tyre [mm].	1014		
Rolling circumference [mm].	2945		
Tread depth (mm)	16,0		
E-Ready	No		

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
154 L	3750	120	Single	9,00	
152 M	3550	130	Single	9,00	
150 L	3350	120	Twin	9,00	
148 M	3150	130	Twin	9,00	