

TYRES

Product group	Tyres	
Item number	11066345	
Valid tyre size	315 / 70 R 22.5	
LI / SI / PR	154 / 150 L (152 / 148 M), 18 PR	
TL/TT	TL	
Brand	Sailun	
Tread pattern	SDW1	





Notes and features

- The Sailun SDW1 is a truck winter tyre for drive axles with long-life rubber compound.
- The tread pattern with wide grooves and zigzag-shaped sipes reliably deflects water and snow.
- The arrangement of tread pattern blocks and grooves as well as the slip-resistant tread provide excellent handling in wintry conditions.
- The tyre offers very good traction, particularly on snow and ice.



Technical Informations

Item number	11066345		
EAN	6959655468861		
Valid tyre size	315 / 70 R 22.5		
LI / SI / PR	154 / 150 L (152 / 148 M), 18 PR		
TL/TT	TL		
Brand	Sailun		
Tread pattern	SDW1		
M+S	M+S		
3PMSF	3PMSF		
Axle position truck	RA		
Rolling resistance	D		
Wet grip	С		
Rolling noise [db].	73		
Rolling noise level	A		
Antistatic	No		
Tyre colour	Black		
ECE regulation number	ECE 54,ECE 117		
Nettogewicht [kg] (gültig)	66,88		
Recommended rim size	9.00		
Permitted rim size	9.75		
Maximum air pressure [bar].	9,00		
Section width (mm)	315		
Outer diameter of tyre [mm].	1014		
Stat. radius (SLR) [mm]	468.28		
Rolling circumference [mm].	2945		
Tread depth (mm)	20,5		

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



E-Ready	No
---------	----

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
154 L	3750	120	Single	9,00	
152 M	3550	130	Single	9,00	
150 L	3350	120	Twin	9,00	
148 M	3150	130	Twin	9,00	