

TYRES

Product group	Tyres
Item number	11066350
Valid tyre size	315 / 80 R 22.5
LI / SI / PR	156 / 150 K (158 / 156 G), 18 PR
TL/TT	TL
Brand	Sailun
Tread pattern	S711



Bohnenkamp
Moving Professionals

 **SAILUN**
TYRE

Notes and features

- The Sailun S711 is a symmetrical truck tyre for the rear axle for demanding on- and off-road use.
- Small ribs between the tread pattern blocks reduce the movement of the blocks and thus prevent uneven wear.
- Deep, zigzag-shaped grooves run from the tyre shoulder towards the centre of the tread and provide very good grip and self-cleaning properties.
- The tread pattern offers a particularly high tread pattern depth for a long service life.

Technical Informations

Item number	11066350
EAN	6959655414653
Valid tyre size	315 / 80 R 22.5
LI / SI / PR	156 / 150 K (158 / 156 G), 18 PR
TL/TT	TL
Brand	Sailun
Tread pattern	S711
M+S	M+S
3PMSF	3PMSF
Axle position truck	RA
Rolling resistance	D
Wet grip	C
Rolling noise [db].	75
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	73,45
Recommended rim size	9.00
Permitted rim size	9.75
Maximum air pressure [bar].	8,50
Section width (mm)	312
Outer diameter of tyre [mm].	1082
Stat. radius (SLR) [mm]	500.16
Rolling circumference [mm].	3141
Tread depth (mm)	20,5

E-Ready No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
156 K	4000	110	Single	8,50	
158 G	4250	90	Single	8,50	
150 K	3350	110	Twin	8,50	
156 G	4000	90	Twin	8,50	