

TYRES

Product group	Tyres	
Item number	11066357	
Valid tyre size	315 / 80 R 22.5	
LI / SI / PR	156 / 150 L (154/150M), 18 PR	
TL/TT	TL	
Brand	Sailun	
Tread pattern	SW02	





Notes and features

- The Sailun SW02 is a truck winter tyre for drive axles with long-life rubber compound.
- The tread pattern with wide grooves and zigzag-shaped sipes reliably deflects water and snow.
- The arrangement of tread pattern blocks and grooves as well as the slip-resistant tread provide excellent handling in wintry conditions.
- The tyre offers very good traction, particularly on snow and ice.



Technical Informations

Item number	11066357	
EAN	6959655419627	
Valid tyre size	315 / 80 R 22.5	
LI / SI / PR	156 / 150 L (154/150M), 18 PR	
TL/TT	TL	
Brand	Sailun	
Tread pattern	SW02	
M+S	M+S	
3PMSF	3PMSF	
Axle position truck	RA	
Rolling resistance	D	
Wet grip	D	
Rolling noise [db].	73	
Antistatic	No	
Tyre colour	Black	
ECE regulation number	ECE 54,ECE 117	
Nettogewicht [kg] (gültig)	73,87	
Maximum air pressure [bar].	8,50	
Section width (mm)	312	
Outer diameter of tyre [mm].	1082	
Rolling circumference [mm].	3141	
Tread depth (mm)	20,5	
E-Ready	No	

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
156 L	4000	120		8,50	
154 M	3750	130		8,50	
150 L	3350	120			