

TYRES

Product group	Tyres
Item number	11066377
Valid tyre size	385 / 65 R 22.5
LI / SI / PR	164 K (158 L), 20 PR
TL/TT	TL
Brand	Sailun
Tread pattern	STR1+



Notes and features

- The Sailun STR1 is a truck tyre for trailer axles for local and regional use.
- The 4 circumferential tread pattern grooves provide very good handling and ride comfort.
- Crosswise block grooves in the flex tread allow for better grip and slip resistance.
- The wide tyre shoulder prevents premature wear and improves the tyre's service life.

Technical Informations

Item number	11066377
EAN	6959655438635
Valid tyre size	385 / 65 R 22.5
LI / SI / PR	164 K (158 L), 20 PR
TL/TT	TL
Brand	Sailun
Tread pattern	STR1+
M+S	M+S
3PMSF	3PMSF
Axle position truck	TR
Rolling resistance	C
Wet grip	C
Rolling noise [db].	72
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117,Vecto Certificate
Nettogewicht [kg] (gültig)	79,17
Recommended rim size	11.75
Permitted rim size	12.25
Maximum air pressure [bar].	9,00
Section width (mm)	385
Outer diameter of tyre [mm].	1072
Rolling circumference [mm].	3248
Tread depth (mm)	16,0
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
164 K	5000	110	Single	9,00	
158 L	4250	120	Single	9,00	