

## TYRES

Product group	Tyres
Item number	11166085
Valid tyre size	315 / 80 R 22.5
LI / SI / PR	157 / 154 L, 20 PR
TL/TT	TL
Brand	GoodTrip
Tread pattern	GHD20



Bohnenkamp  
■ ■ ● Moving Professionals



## Notes and features

- The GoodTrip GHD20 is a radial truck tyre for the drive axle.
- The directional tread with rugged tread blocks guarantees very good traction under all weather conditions, even in snow.
- The unique tyre shoulder design with a special rubber compound prevents the tyre from heating up and counteracts tooth-shaped wear.
- Its particularly high tread depth ensures very good traction, even on slippery roads, and a long service life.

## Technical Informations

Item number	11166085
EAN	8859625700114
Valid tyre size	315 / 80 R 22.5
LI / SI / PR	157 / 154 L, 20 PR
TL/TT	TL
Brand	GoodTrip
Tread pattern	GHD20
M+S	M+S
3PMSF	3PMSF
Axle position truck	RA
Rolling resistance	D
Wet grip	C
Rolling noise [db].	75
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 117,ECE 54
Nettogewicht [kg] (gültig)	65,38
Recommended rim size	9.00
Permitted rim size	9.75
Maximum air pressure [bar].	8,30
Section width (mm)	312
Outer diameter of tyre [mm].	1076
Stat. radius (SLR) [mm]	500
Rolling circumference [mm].	3401
Tread depth (mm)	20,2

E-Ready

No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
157 L	4125	120	Single	8,30	
154 L	3750	120	Twin	8,30	