

TYRES

Product group	Tyres
Item number	11366120
Valid tyre size	435 / 50 R 19.5
LI / SI / PR	160 J, 20 PR
TL/TT	TL
Brand	Linglong
Tread pattern	T820



Notes and features

- The Ling Long T820 is a truck tyre for long-haul transport on motorways and well-maintained roads.
- The tyre is characterised by a low rolling resistance resulting in low fuel consumption.
- It provides very good driving stability even on wet roads.

Technical Informations

Item number	11366120
EAN	8859291421375
Valid tyre size	435 / 50 R 19.5
LI / SI / PR	160 J, 20 PR
TL/TT	TL
Brand	Linglong
Tread pattern	T820
M+S	M+S
3PMSF	3PMSF
Axle position truck	TR
Rolling resistance	C
Wet grip	B
Rolling noise [db].	73
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	75,43
Recommended rim size	14.00
Permitted rim size	15.00
Maximum air pressure [bar].	9,00
Section width (mm)	438
Outer diameter of tyre [mm].	931
Stat. radius (SLR) [mm]	431
Rolling circumference [mm].	2820
Tread depth (mm)	12,5

E-Ready

No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
160 J	4500	100	Single	9,00	