

TYRES

Product group	Tyres
Item number	12426058
Valid tyre size	14.9L R 20
LI / SI / PR	119 A8 / 116 B
TL/TT	TL
Brand	Kleber
Tread pattern	Super G



Bohnenkamp
■ ■ ● Moving Professionals


Kleber

Notes and features

- Protects turf through non-aggressive tread pattern lugs.
- Rugged and resistant.
- Good traction.

Technical Informations

Item number	12426058
EAN	3528702866566
Valid tyre size	14.9L R 20
LI / SI / PR	119 A8 / 116 B
TL/TT	TL
Brand	Kleber
Tread pattern	Super G
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	52,00
Recommended rim size	13
Permitted rim size	11, 12
Maximum air pressure [bar].	1,60
Section width (mm)	390
Outer diameter of tyre [mm].	1092
Stat. radius (SLR) [mm]	491
Rolling circumference [mm].	3246
Tread depth (mm)	30,0
Number of lugs	16x2
Tyre capacity 75% [ltr.]	130
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
119 A8	1360	40		1,60	
116 B	1250	50		1,60	