

TYRES

| | |
|-----------------|----------------|
| Product group | Tyres |
| Item number | 12426067 |
| Valid tyre size | 320 / 70 R 20 |
| LI / SI / PR | 123 A8 / 120 B |
| TL/TT | TL |
| Brand | Kleber |
| Tread pattern | Fitker |



Kleber

Notes and features

- Maximum traction due to optimised lug shape.
- Low soil compaction due to flat tread pattern.
- Good ride comfort due to high deflection zone.
- Long service life.

Technical Informations

| | |
|------------------------------|----------------|
| Item number | 12426067 |
| EAN | 3528709685382 |
| Valid tyre size | 320 / 70 R 20 |
| LI / SI / PR | 123 A8 / 120 B |
| TL/TT | TL |
| Brand | Kleber |
| Tread pattern | Fitker |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | not necessary |
| Nettogewicht [kg] (gültig) | 39,00 |
| Recommended rim size | W10 |
| Permitted rim size | W9, DW10, W11 |
| Maximum air pressure [bar]. | 2,40 |
| Section width (mm) | 320 |
| Outer diameter of tyre [mm]. | 980 |
| Stat. radius (SLR) [mm] | 442 |
| Rolling circumference [mm]. | 2917 |
| Tread depth (mm) | 34,0 |
| Number of lugs | 17x2 |
| Tyre capacity 75% [ltr.] | 83 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|--------|--------------------|--------------|---------------|--------------------------|--------------|
| 123 A8 | 1550 | 40 | | 2,40 | |
| 120 B | 1400 | 50 | | 2,40 | |