

TYRES

Product group	Tyres
Item number	12426122
Valid tyre size	340 / 85 R 24
LI / SI / PR	130 A8 / 127 B
TL/TT	TL
Brand	Kleber
Tread pattern	Traker





Notes and features

- Very good traction through high tread lugs.
- Good self-cleaning.

• Even pressure distribution due to flat tread pattern.



Technical Informations

	40.4004.00
Item number	12426122
EAN	3528707605634
Valid tyre size	340 / 85 R 24
Alternative size 1	13.6R24
LI / SI / PR	130 A8 / 127 B
TL/TT	TL
Brand	Kleber
Tread pattern	Traker
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	58,00
Recommended rim size	12
Permitted rim size	11
Maximum air pressure [bar].	1,60
Section width (mm)	359
Outer diameter of tyre [mm].	1188
Stat. radius (SLR) [mm]	529
Rolling circumference [mm].	3529
Tread depth (mm)	40,0
Number of lugs	18x2
Lug width (mm)	36
Tyre capacity 75% [ltr.]	143
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
130 A8	1900	40		1,60	
127 B	1750	50		1,60	