

TYRES

Product group	Tyres
Item number	12426245
Valid tyre size	250 / 85 R 28
LI / SI / PR	112 A8 / 109 B
TL/TT	TL
Brand	Kleber
Tread pattern	Traker





Notes and features

- Very good traction through high tread lugs.
- Good self-cleaning.

• Even pressure distribution due to flat tread pattern.



Technical Informations

Item number	12426245
EAN	3528701621616
Valid tyre size	250 / 85 R 28
Alternative size 1	9.5R28
LI / SI / PR	112 A8 / 109 B
TL/TT	TL
Brand	Kleber
Tread pattern	Traker
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	36,00
Recommended rim size	8
Permitted rim size	7
Maximum air pressure [bar].	1,60
Section width (mm)	247
Outer diameter of tyre [mm].	1142
Stat. radius (SLR) [mm]	520
Rolling circumference [mm].	3403
Tread depth (mm)	37,0
Number of lugs	19x2
Tyre capacity 75% [ltr.]	75
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
112 A8	1120	40		1,60	
109 B	1030	50		1,60	