

TYRES

| | |
|-----------------|----------------|
| Product group | Tyres |
| Item number | 12426425 |
| Valid tyre size | 420 / 85 R 34 |
| LI / SI / PR | 142 A8 / 139 B |
| TL/TT | TL |
| Brand | Kleber |
| Tread pattern | Traker |



**Kleber**

Notes and features

- Very good traction through high tread lugs.
- Good self-cleaning.
- Even pressure distribution due to flat tread pattern.

Technical Informations

| | |
|------------------------------|----------------|
| Item number | 12426425 |
| EAN | 3528701617770 |
| Valid tyre size | 420 / 85 R 34 |
| Alternative size 1 | 16.9R34 |
| LI / SI / PR | 142 A8 / 139 B |
| TL/TT | TL |
| Brand | Kleber |
| Tread pattern | Traker |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | not necessary |
| Nettogewicht [kg] (gültig) | 105,00 |
| Recommended rim size | 15 |
| Permitted rim size | 14 |
| Maximum air pressure [bar]. | 1,60 |
| Section width (mm) | 442 |
| Outer diameter of tyre [mm]. | 1581 |
| Stat. radius (SLR) [mm] | 708 |
| Rolling circumference [mm]. | 4693 |
| Tread depth (mm) | 46,0 |
| Number of lugs | 21x2 |
| Lug width (mm) | 41 |
| Tyre capacity 75% [ltr.] | 293 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|--------|--------------------|--------------|---------------|--------------------------|--------------|
| 142 A8 | 2650 | 40 | | 1,60 | |
| 139 B | 2430 | 50 | | 1,60 | |