

## **TYRES**

Product group	Tyres
Item number	12426544
Valid tyre size	340 / 85 R 36
LI / SI / PR	132 A8 / 129 B
TL/TT	TL
Brand	Kleber
Tread pattern	Traker





## Notes and features

- Very good traction through high tread lugs.
- Good self-cleaning.

• Even pressure distribution due to flat tread pattern.



## **Technical Informations**

Item number	12426544
EAN	3528701617800
Valid tyre size	340 / 85 R 36
Alternative size 1	13.6R36
LI / SI / PR	132 A8 / 129 B
TL/TT	TL
Brand	Kleber
Tread pattern	Traker
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	74,00
Recommended rim size	12
Permitted rim size	11
Maximum air pressure [bar].	1,60
Section width (mm)	354
Outer diameter of tyre [mm].	1503
Stat. radius (SLR) [mm]	684
Rolling circumference [mm].	4478
Tread depth (mm)	43,0
Number of lugs	22x2
Lug width (mm)	32
Tyre capacity 75% [ltr.]	192
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
132 A8	2000	40		1,60	
129 B	1850	50		1,60	