

## **TYRES**

Product group	Tyres	
Item number	12426610	
Valid tyre size	460 / 85 R 38	
LI / SI / PR	149 A8 / 146 B	
TL/TT	TL	
Brand	Kleber	
Tread pattern	Traker	





## Notes and features

- Very good traction through high tread lugs.
- Good self-cleaning.

• Even pressure distribution due to flat tread pattern.



## **Technical Informations**

Item number	12426610
EAN	3528701617831
Valid tyre size	460 / 85 R 38
Alternative size 1	18.4R38
LI / SI / PR	149 A8 / 146 B
TL/TT	TL
Brand	Kleber
Tread pattern	Traker
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	144,00
Recommended rim size	16
Permitted rim size	15
Maximum air pressure [bar].	1,60
Section width (mm)	488
Outer diameter of tyre [mm].	1754
Stat. radius (SLR) [mm]	786
Rolling circumference [mm].	5208
Tread depth (mm)	50,0
Number of lugs	21x2
Lug width (mm)	49
Tyre capacity 75% [ltr.]	383
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
149 A8	3250	40		1,60	
146 B	3000	50		1,60	