

TYRES

Product group	Tyres
Item number	12426775
Valid tyre size	230 / 95 R 36
LI / SI / PR	133 A8 / 130 D
TL/TT	TL
Brand	Kleber
Tread pattern	Cropker



Kleber

Notes and features

- The Kleber Cropker is a premium crop tyre for tractors in the 80-200 hp performance range.
- Compared with its predecessor, the Kleber Super 3, the Cropker offers a higher load capacity and the double identifier D/A8.
- It can be used as a FRT (Free Rolling Tyre) on towed vehicles with with a load surcharge of up to 20% at 40 km/h.
- Thanks to the special root-friendly lug shoulders, plants in row crops are optimally protected.
- Its tread pattern reinforced in the centre of the tread provides improved driving and steering precision and longer mileage.
- Due to the shape of the lugs and the spaces between them, the tyre offers very good self-cleaning properties.

Technical Informations

Item number	12426775
EAN	3528702394823
Valid tyre size	230 / 95 R 36
Alternative size 1	9.5R36
LI / SI / PR	133 A8 / 130 D
TL/TT	TL
Brand	Kleber
Tread pattern	Cropker
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	46,00
Recommended rim size	7
Permitted rim size	8
Maximum air pressure [bar].	4,00
Section width (mm)	225
Outer diameter of tyre [mm].	1352
Stat. radius (SLR) [mm]	632
Rolling circumference [mm].	4035
Tread depth (mm)	31,0
Number of lugs	27x2
Tyre capacity 75% [ltr.]	87
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
133 A8	2060	40		4,00	
130 D	1900	65		4,00	