

TYRES

Product group	Tyres	
Item number	12427110	
Valid tyre size	600 / 65 R 38	
LI / SI / PR	153 D	
TL/TT	TL	
Brand	Kleber	
Tread pattern	Gripker	





Notes and features

- Excellent traction due to innovative lug shape.
- Even weight distribution due to large contact area.
- Good self-cleaning.
- Modern design.



Technical Informations

Item number	12427110
EAN	3528701862415
Valid tyre size	600 / 65 R 38
LI / SI / PR	153 D
TL/TT	TL
Brand	Kleber
Tread pattern	Gripker
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	179,00
Recommended rim size	20
Permitted rim size	18
Maximum air pressure [bar].	1,60
Section width (mm)	591
Outer diameter of tyre [mm].	1748
Stat. radius (SLR) [mm]	768
Rolling circumference [mm].	5167
Tread depth (mm)	52,0
Number of lugs	20x2
Lug width (mm)	42-48
Tyre capacity 75% [ltr.]	500
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp AG accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
153 D	3650	65		1,60	