

TYRES

Product group	Tyres
Item number	13326930
Valid tyre size	VF 540 / 65 R 30
LI / SI / PR	158 D / 155 E
TL/TT	TL
Brand	Michelin
Tread pattern	AxioBib 2



Notes and features

- The Michelin AxioBib 2 is suitable for tractors from 160 hp up to 550 hp.
- The VF tyre with its Ultraflex technology enables increased load capacity by up to 40%.
- Furthermore, the tyre is characterised by its low inflation pressure and excellent traction in the field.

Technical Informations

Item number	13326930
EAN	3528702966389
Valid tyre size	VF 540 / 65 R 30
LI / SI / PR	158 D / 155 E
TL/TT	TL
Brand	Michelin
Tread pattern	AxioBib 2
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	145,00
Recommended rim size	18
Permitted rim size	16
Maximum air pressure [bar].	2,00
Section width (mm)	545
Outer diameter of tyre [mm].	1468
Stat. radius (SLR) [mm]	645
Rolling circumference [mm].	4339
Tread depth (mm)	48,0
Number of lugs	20x2
Tyre capacity 75% [litr.]	332
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
158 D	4250	65		2,00	
155 E	3875	70		2,00	