

## TYRES

Product group	Tyres
Item number	13327370
Valid tyre size	400 / 70 R 24
LI / SI / PR	152 A8 / 152 B
TL/TT	TL
Brand	Michelin
Tread pattern	XMCL



## Notes and features

- Industrial tyre for wheel loaders, backhoe loaders and telescopic handlers.
- Reinforced sidewalls.
- Solid lugs.
- Belt plies made from steel mesh.

## Technical Informations

Item number	13327370
EAN	3528701786902
Valid tyre size	400 / 70 R 24
LI / SI / PR	152 A8 / 152 B
TL/TT	TL
Brand	Michelin
Tread pattern	XMCL
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	79,00
Recommended rim size	13
Permitted rim size	12, 14
Maximum air pressure [bar].	4,00
Section width (mm)	401
Outer diameter of tyre [mm].	1170
Stat. radius (SLR) [mm]	531
Rolling circumference [mm].	3485
Tread depth (mm)	33,0
Number of lugs	19x2
Tyre capacity 75% [ltr.]	157
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
152 A8	3550	40		4,00	
152 B	3550	50		4,00	