

## TYRES

Product group	Tyres
Item number	13327380
Valid tyre size	460 / 70 R 24
LI / SI / PR	159 A8 / 159 B
TL/TT	TL
Brand	Michelin
Tread pattern	XMCL



## Notes and features

- Industrial tyre for wheel loaders, backhoe loaders and telescopic handlers.
- Reinforced sidewalls.
- Solid lugs.
- Belt plies made from steel mesh.

## Technical Informations

Item number	13327380
EAN	3528702442685
Valid tyre size	460 / 70 R 24
Alternative size 1	17.5LR24
LI / SI / PR	159 A8 / 159 B
TL/TT	TL
Brand	Michelin
Tread pattern	XMCL
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	101,00
Recommended rim size	15
Permitted rim size	14, 16
Maximum air pressure [bar].	4,00
Section width (mm)	467
Outer diameter of tyre [mm].	1248
Stat. radius (SLR) [mm]	562
Rolling circumference [mm].	3709
Tread depth (mm)	36,0
Number of lugs	18x2
Lug width (mm)	41
Tyre capacity 75% [litr.]	218
E-Ready	No

## Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
159 A8	4375	40		4,00	
159 B	4375	50		4,00	